

广州科城环保科技有限公司污染源监测数据公开（在线自动监测）

监测点位名称：工业废水排放口

监测时间：2020年1月

监测时间		pH值	标准限值	化学需氧量 (mg/l)	标准限值 (mg/l)	监测结果说明
2020/1/1	1:00:00	7.36	6-9	61.5	90	达标
2020/1/1	5:00:00	7.3	6-9	51	90	达标
2020/1/1	9:00:00	7.23	6-9	50	90	达标
2020/1/1	13:00:00	7.51	6-9	58.3	90	达标
2020/1/1	17:00:00	8.28	6-9	81	90	达标
2020/1/1	21:00:00	8.52	6-9	66.5	90	达标
2020/1/2	1:00:00	8.55	6-9	55.5	90	达标
2020/1/2	5:00:00	8.08	6-9	81	90	达标
2020/1/2	9:00:00	8	6-9	69	90	达标
2020/1/2	13:00:00	8.01	6-9	61	90	达标
2020/1/2	17:00:00	8.07	6-9	70	90	达标
2020/1/2	21:00:00	8.05	6-9	82.5	90	达标
2020/1/3	1:00:00	7.99	6-9	78	90	达标
2020/1/3	5:00:00	8.03	6-9	19.3	90	达标
2020/1/3	9:00:00	7.71	6-9	9.4	90	达标
2020/1/3	13:00:00	8.27	6-9	1.4	90	达标
2020/1/3	17:00:00	7.82	6-9	68	90	达标
2020/1/3	21:00:00	8.13	6-9	57	90	达标
2020/1/4	1:00:00	7.83	6-9	59.8	90	达标
2020/1/4	5:00:00	7.82	6-9	37.3	90	达标
2020/1/4	9:00:00	7.59	6-9	19	90	达标
2020/1/4	13:00:00	7.53	6-9	31.5	90	达标
2020/1/4	17:00:00	7.55	6-9	19.1	90	达标
2020/1/4	21:00:00	8.01	6-9	23.3	90	达标
2020/1/5	1:00:00	8.33	6-9	18.4	90	达标
2020/1/5	5:00:00	8.39	6-9	22.9	90	达标
2020/1/5	9:00:00	7.72	6-9	62.3	90	达标
2020/1/5	13:00:00	7.36	6-9	85.5	90	达标
2020/1/5	17:00:00	7.66	6-9	55.3	90	达标
2020/1/5	21:00:00	7.47	6-9	30.5	90	达标
2020/1/6	1:00:00	7.13	6-9	49	90	达标
2020/1/6	5:00:00	7.1	6-9	39.5	90	达标
2020/1/6	9:00:00	7.76	6-9	66.5	90	达标
2020/1/6	13:00:00	8.02	6-9	67	90	达标
2020/1/6	17:00:00	8.2	6-9	32.3	90	达标
2020/1/6	21:00:00	7.98	6-9	75	90	达标
2020/1/7	1:00:00	7.42	6-9	36	90	达标
2020/1/7	5:00:00	7.02	6-9	65.5	90	达标
2020/1/7	9:00:00	7.59	6-9	54	90	达标
2020/1/7	13:00:00	8.06	6-9	10.6	90	达标
2020/1/7	17:00:00	8.39	6-9	10.8	90	达标
2020/1/7	21:00:00	8.32	6-9	25.5	90	达标
2020/1/8	1:00:00	7.25	6-9	89	90	达标
2020/1/8	5:00:00	7.63	6-9	77.5	90	达标
2020/1/8	9:00:00	7.72	6-9	72	90	达标

2020/1/8	13:00:00	7.77	6-9	27	90	达标
2020/1/8	17:00:00	7.58	6-9	57.5	90	达标
2020/1/8	21:00:00	7.32	6-9	65.5	90	达标
2020/1/9	1:00:00	8.23	6-9	19.9	90	达标
2020/1/9	5:00:00	8.63	6-9	14.4	90	达标
2020/1/9	9:00:00	8.39	6-9	27.9	90	达标
2020/1/9	13:00:00	8.2	6-9	39.5	90	达标
2020/1/9	17:00:00	8	6-9	41.8	90	达标
2020/1/9	21:00:00	7.9	6-9	53.3	90	达标
2020/1/10	1:00:00	8.37	6-9	25	90	达标
2020/1/10	5:00:00	7.93	6-9	37.5	90	达标
2020/1/10	9:00:00	8.12	6-9	33	90	达标
2020/1/10	13:00:00	7.96	6-9	60.5	90	达标
2020/1/10	17:00:00	7.9	6-9	58	90	达标
2020/1/10	21:00:00	7.8	6-9	45.5	90	达标
2020/1/11	1:00:00	7.86	6-9	39.8	90	达标
2020/1/11	5:00:00	7.57	6-9	50	90	达标
2020/1/11	9:00:00	7.8	6-9	11.5	90	达标
2020/1/11	13:00:00	7.79	6-9	57	90	达标
2020/1/11	17:00:00	7.92	6-9	50.5	90	达标
2020/1/11	21:00:00	7.93	6-9	69	90	达标
2020/1/12	1:00:00	8.13	6-9	7.8	90	达标
2020/1/12	5:00:00	8.61	6-9	56.5	90	达标
2020/1/12	9:00:00	8.71	6-9	8.4	90	达标
2020/1/12	13:00:00	7.97	6-9	60.5	90	达标
2020/1/12	17:00:00	8.03	6-9	60.5	90	达标
2020/1/12	21:00:00	8.03	6-9	57.5	90	达标
2020/1/13	1:00:00	8.52	6-9	1.9	90	达标
2020/1/13	5:00:00	8.74	6-9	5	90	达标
2020/1/13	9:00:00	8.73	6-9	0.7	90	达标
2020/1/13	13:00:00	8.33	6-9	64	90	达标
2020/1/13	17:00:00	7.63	6-9	23.5	90	达标
2020/1/13	21:00:00	7.26	6-9	6.2	90	达标
2020/1/14	1:00:00	7.33	6-9	1.8	90	达标
2020/1/14	5:00:00	7.45	6-9	56.8	90	达标
2020/1/14	9:00:00	7.94	6-9	61.5	90	达标
2020/1/14	13:00:00	7.57	6-9	60.3	90	达标
2020/1/14	17:00:00	8.17	6-9	40.5	90	达标
2020/1/14	21:00:00	7.94	6-9	32.8	90	达标
2020/1/15	1:00:00	8.22	6-9	57.5	90	达标
2020/1/15	5:00:00	8.18	6-9	60.5	90	达标
2020/1/15	9:00:00	8.21	6-9	60.8	90	达标
2020/1/15	13:00:00	7.37	6-9	43.8	90	达标
2020/1/15	17:00:00	8	6-9	72.5	90	达标
2020/1/15	21:00:00	8.06	6-9	32.5	90	达标
2020/1/16	1:00:00	7.7	6-9	55.3	90	达标
2020/1/16	5:00:00	7.49	6-9	36	90	达标
2020/1/16	9:00:00	8.2	6-9	52.5	90	达标
2020/1/16	13:00:00	7.7	6-9	61.5	90	达标

2020/1/16	17:00:00	8.09	6-9	51.3	90	达标
2020/1/16	21:00:00	7.91	6-9	63.3	90	达标
2020/1/17	1:00:00	8.15	6-9	40.5	90	达标
2020/1/17	5:00:00	8.16	6-9	47.5	90	达标
2020/1/17	9:00:00	7.61	6-9	65	90	达标
2020/1/17	13:00:00	7.99	6-9	47.3	90	达标
2020/1/17	17:00:00	8.24	6-9	70.5	90	达标
2020/1/17	21:00:00	7.91	6-9	39.5	90	达标
2020/1/18	1:00:00	7.97	6-9	26.8	90	达标
2020/1/18	5:00:00	7.98	6-9	37.5	90	达标
2020/1/18	9:00:00	7.88	6-9	39.8	90	达标
2020/1/18	13:00:00	7.63	6-9	67.5	90	达标
2020/1/18	17:00:00	7.97	6-9	38.3	90	达标
2020/1/18	21:00:00	8.2	6-9	64.5	90	达标
2020/1/19	1:00:00	8.2	6-9	62.8	90	达标
2020/1/19	5:00:00	8.4	6-9	62	90	达标
2020/1/19	9:00:00	8.37	6-9	56	90	达标
2020/1/19	13:00:00	8.01	6-9	60.5	90	达标
2020/1/19	17:00:00	8.07	6-9	49	90	达标
2020/1/19	21:00:00	8.32	6-9	37	90	达标
2020/1/20	1:00:00	8.42	6-9	31.4	90	达标
2020/1/20	5:00:00	8.23	6-9	28	90	达标
2020/1/20	9:00:00	8.23	6-9	33.8	90	达标
2020/1/20	13:00:00	7.74	6-9	69	90	达标
2020/1/20	17:00:00	7.57	6-9	47	90	达标
2020/1/20	21:00:00	7.23	6-9	25	90	达标
2020/1/21	1:00:00	7.38	6-9	32	90	达标
2020/1/21	5:00:00	8.98	6-9	29.1	90	达标
2020/1/21	9:00:00	9.34	6-9	31	90	ph计探头有盐粒附着导致ph数值有误, 实际达标
2020/1/21	13:00:00	9.13	6-9	1.7	90	
2020/1/21	17:00:00	7.78	6-9	59.3	90	达标
2020/1/21	21:00:00	7.83	6-9	57	90	达标
2020/1/22	1:00:00	7.9	6-9	61	90	达标
2020/1/22	5:00:00	7.67	6-9	22.9	90	达标
2020/1/22	9:00:00	7.84	6-9	21.4	90	达标
2020/1/22	13:00:00	7.96	6-9	22	90	达标
2020/1/22	17:00:00	8.05	6-9	28	90	达标
2020/1/22	21:00:00	8.18	6-9	24	90	达标
2020/1/23	1:00:00	7.73	6-9	26.1	90	达标
2020/1/23	5:00:00	7.92	6-9	30	90	达标
2020/1/23	9:00:00	7.93	6-9	41	90	达标
2020/1/23	13:00:00	8.05	6-9	41.5	90	达标
2020/1/23	17:00:00	8.14	6-9	44.8	90	达标
2020/1/23	21:00:00	8.14	6-9	0	90	达标
2020/1/24	1:00:00	8.17	6-9	41.3	90	达标
2020/1/24	5:00:00	8.18	6-9	0	90	达标
2020/1/24	9:00:00	8.19	6-9	0	90	达标
2020/1/24	13:00:00	8.2	6-9	0	90	达标
2020/1/24	17:00:00	8.21	6-9	0	90	达标

2020/1/24	21:00:00	8.22	6-9	0	90	达标
2020/1/25	1:00:00	8.22	6-9	0	90	达标
2020/1/25	5:00:00	8.23	6-9	0	90	达标
2020/1/25	9:00:00	8.26	6-9	0	90	达标
2020/1/25	13:00:00	8.29	6-9	0	90	达标
2020/1/25	17:00:00	8.33	6-9	0	90	达标
2020/1/25	21:00:00	8.36	6-9	0	90	达标
2020/1/26	1:00:00	8.4	6-9	0	90	达标
2020/1/26	5:00:00	8.43	6-9	0	90	达标
2020/1/26	9:00:00	8.46	6-9	0	90	达标
2020/1/26	13:00:00	8.48	6-9	0	90	达标
2020/1/26	17:00:00	8.51	6-9	0	90	达标
2020/1/26	21:00:00	8.53	6-9	0	90	达标
2020/1/27	1:00:00	8.54	6-9	0	90	达标
2020/1/27	5:00:00	8.55	6-9	0	90	达标
2020/1/27	9:00:00	8.57	6-9	0	90	达标
2020/1/27	13:00:00	8.58	6-9	0	90	达标
2020/1/27	17:00:00	8.6	6-9	0	90	达标
2020/1/27	21:00:00	8.61	6-9	0	90	达标
2020/1/28	1:00:00	8.62	6-9	0	90	达标
2020/1/28	5:00:00	8.63	6-9	0	90	达标
2020/1/28	9:00:00	8.64	6-9	0	90	达标
2020/1/28	13:00:00	8.64	6-9	0	90	达标
2020/1/28	17:00:00	8.65	6-9	0	90	达标
2020/1/28	21:00:00	8.66	6-9	0	90	达标
2020/1/29	1:00:00	8.67	6-9	0	90	达标
2020/1/29	5:00:00	8.68	6-9	0	90	达标
2020/1/29	9:00:00	8.69	6-9	0	90	达标
2020/1/29	13:00:00	8.69	6-9	0	90	达标
2020/1/29	17:00:00	8.7	6-9	0	90	达标
2020/1/29	21:00:00	8.7	6-9	0	90	达标
2020/1/30	1:00:00	8.71	6-9	0	90	达标
2020/1/30	5:00:00	8.71	6-9	0	90	达标
2020/1/30	9:00:00	8.72	6-9	0	90	达标
2020/1/30	13:00:00	8.72	6-9	0	90	达标
2020/1/30	17:00:00	8.72	6-9	0	90	达标
2020/1/30	21:00:00	8.73	6-9	0	90	达标
2020/1/31	1:00:00	8.73	6-9	0	90	达标
2020/1/31	5:00:00	8.73	6-9	0	90	达标
2020/1/31	9:00:00	8.74	6-9	0	90	达标
2020/1/31	13:00:00	8.74	6-9	0	90	达标
2020/1/31	17:00:00	8.74	6-9	0	90	达标
2020/1/31	21:00:00	8.75	6-9	0	90	达标

广州科城环保科技有限公司污染源监测数据公开（手动监测）

监测日期：2020-1-7

监测项目	检测位点	单位	监测值	标准值	监测结果说明
总锌	生产废水总排口	mg/l	<0.5	2	达标
石油类	生产废水总排口	mg/l	0.25	5	达标
氰化物	生产废水总排口	mg/l	<0.3	0.3	达标
总铜	生产废水总排口	mg/l	<0.5	0.5	达标
总锰	生产废水总排口	mg/l	<0.5	2	达标
悬浮物	生产废水总排口	mg/l	<60	60	达标
pH值	生产废水总排口	-	7.4	6-9	达标
氨氮（NH3-N）	生产废水总排口	mg/l	<10	10	达标
五日生化需氧量	生产废水总排口	mg/l	3.78	20	达标
总铁	生产废水总排口	mg/l	<0.5	-	达标
化学需氧量	生产废水总排口	mg/l	42.85	90	达标
氟化物（以F-计）	生产废水总排口	mg/l	0.96	10	达标
阴离子表面活性剂	生产废水总排口	mg/l	0.23	5	达标
硫化物	生产废水总排口	mg/l	ND	0.58	达标
动植物油	生产废水总排口	mg/l	0.17	10	达标
挥发酚	生产废水总排口	mg/l	0.04	0.3	达标
总汞	车间排放口-01	mg/l	<0.5	0.05	达标
	车间排放口-02	mg/l	<0.5	0.05	达标
总镉	车间排放口-01	mg/l	<0.1	0.1	达标
	车间排放口-02	mg/l	<0.1	0.1	达标
总铬	车间排放口-01	mg/l	<0.5	1.5	达标
	车间排放口-02	mg/l	<0.5	1.5	达标
六价铬	车间排放口-01	mg/l	0.004	0.5	达标
	车间排放口-02	mg/l	0.048	0.5	达标
总砷	车间排放口-01	mg/l	<0.5	0.5	达标
	车间排放口-02	mg/l	<0.5	0.5	达标
总铅	车间排放口-01	mg/l	<0.5	1	达标
	车间排放口-02	mg/l	<0.5	1	达标
总镍	车间排放口-01	mg/l	<0.5	1	达标
	车间排放口-02	mg/l	<0.5	1	达标