

广州科城环保科技有限公司污染源监测数据公开（在线自动监测）

监测点位名称：工业废水排放口

监测时间：2020年2月

监测时间		pH值	标准限值	化学需氧量 (mg/l)	标准限值 (mg/l)	监测结果说明
2020/2/1	1:00:00	8.75	6-9	0	90	达标
2020/2/1	5:00:00	8.75	6-9	0	90	达标
2020/2/1	9:00:00	8.76	6-9	0	90	达标
2020/2/1	13:00:00	8.76	6-9	0	90	达标
2020/2/1	17:00:00	8.76	6-9	0	90	达标
2020/2/1	21:00:00	8.76	6-9	0	90	达标
2020/2/2	1:00:00	8.76	6-9	0	90	达标
2020/2/2	5:00:00	8.76	6-9	0	90	达标
2020/2/2	9:00:00	8.76	6-9	0	90	达标
2020/2/2	13:00:00	8.77	6-9	0	90	达标
2020/2/2	17:00:00	8.77	6-9	0	90	达标
2020/2/2	21:00:00	8.77	6-9	0	90	达标
2020/2/3	1:00:00	8.77	6-9	0	90	达标
2020/2/3	5:00:00	8.77	6-9	0	90	达标
2020/2/3	9:00:00	8.78	6-9	0	90	达标
2020/2/3	13:00:00	8.78	6-9	0	90	达标
2020/2/3	17:00:00	8.78	6-9	0	90	达标
2020/2/3	21:00:00	8.79	6-9	0	90	达标
2020/2/4	1:00:00	8.78	6-9	0	90	达标
2020/2/4	5:00:00	8.79	6-9	0	90	达标
2020/2/4	9:00:00	8.79	6-9	0	90	达标
2020/2/4	13:00:00	8.79	6-9	0	90	达标
2020/2/4	17:00:00	8.8	6-9	0	90	达标
2020/2/4	21:00:00	8.8	6-9	0	90	达标
2020/2/5	1:00:00	8.8	6-9	0	90	达标
2020/2/5	5:00:00	8.81	6-9	0	90	达标
2020/2/5	9:00:00	8.81	6-9	0	90	达标
2020/2/5	13:00:00	8.82	6-9	0	90	达标
2020/2/5	17:00:00	8.82	6-9	0	90	达标
2020/2/5	21:00:00	8.83	6-9	0	90	达标
2020/2/6	1:00:00	8.82	6-9	0	90	达标
2020/2/6	5:00:00	8.83	6-9	0	90	达标
2020/2/6	9:00:00	8.84	6-9	0	90	达标
2020/2/6	13:00:00	8.84	6-9	0	90	达标
2020/2/6	17:00:00	8.84	6-9	0	90	达标
2020/2/6	21:00:00	8.85	6-9	0	90	达标
2020/2/7	1:00:00	8.85	6-9	0	90	达标
2020/2/7	5:00:00	8.85	6-9	0	90	达标
2020/2/7	9:00:00	8.86	6-9	0	90	达标
2020/2/7	13:00:00	8.86	6-9	0	90	达标
2020/2/7	17:00:00	8.86	6-9	0	90	达标
2020/2/7	21:00:00	8.87	6-9	0	90	达标

2020/2/8	1:00:00	8.87	6-9	0	90	达标
2020/2/8	5:00:00	8.87	6-9	0	90	达标
2020/2/8	9:00:00	8.87	6-9	0	90	达标
2020/2/8	13:00:00	8.88	6-9	0	90	达标
2020/2/8	17:00:00	8.88	6-9	0	90	达标
2020/2/8	21:00:00	8.88	6-9	0	90	达标
2020/2/9	1:00:00	8.88	6-9	0	90	达标
2020/2/9	5:00:00	8.88	6-9	0	90	达标
2020/2/9	9:00:00	8.89	6-9	0	90	达标
2020/2/9	13:00:00	8.89	6-9	0	90	达标
2020/2/9	17:00:00	8.9	6-9	0	90	达标
2020/2/9	21:00:00	8.9	6-9	0	90	达标
2020/2/10	1:00:00	8.9	6-9	0	90	达标
2020/2/10	5:00:00	8.9	6-9	0	90	达标
2020/2/10	9:00:00	8.9	6-9	0	90	达标
2020/2/10	13:00:00	8.9	6-9	0	90	达标
2020/2/10	17:00:00	8.91	6-9	0	90	达标
2020/2/10	21:00:00	8.91	6-9	0	90	达标
2020/2/11	1:00:00	8.91	6-9	0	90	达标
2020/2/11	5:00:00	8.91	6-9	0	90	达标
2020/2/11	9:00:00	8.91	6-9	0	90	达标
2020/2/11	13:00:00	8.92	6-9	0	90	达标
2020/2/11	17:00:00	8.92	6-9	0	90	达标
2020/2/11	21:00:00	8.92	6-9	0	90	达标
2020/2/12	1:00:00	8.93	6-9	0	90	达标
2020/2/12	5:00:00	8.93	6-9	0	90	达标
2020/2/12	9:00:00	8.93	6-9	0	90	达标
2020/2/12	13:00:00	8.93	6-9	0	90	达标
2020/2/12	17:00:00	8.93	6-9	0	90	达标
2020/2/12	21:00:00	8.93	6-9	0	90	达标
2020/2/13	1:00:00	8.93	6-9	0	90	达标
2020/2/13	5:00:00	8.94	6-9	0	90	达标
2020/2/13	9:00:00	8.94	6-9	0	90	达标
2020/2/13	13:00:00	8.94	6-9	0	90	达标
2020/2/13	17:00:00	9.49	6-9	0	90	ph探头附着盐粒导致检测数据异常，17日运维公司到现场进行维修后恢复
2020/2/13	21:00:00	9.48	6-9	0	90	
2020/2/14	1:00:00	9.48	6-9	0	90	
2020/2/14	5:00:00	9.47	6-9	0	90	
2020/2/14	9:00:00	9.46	6-9	0	90	
2020/2/14	13:00:00	9.46	6-9	0	90	
2020/2/14	17:00:00	9.46	6-9	0	90	
2020/2/14	21:00:00	9.45	6-9	0	90	
2020/2/15	1:00:00	9.44	6-9	0	90	
2020/2/15	5:00:00	9.44	6-9	0	90	
2020/2/15	9:00:00	9.43	6-9	0	90	
2020/2/15	13:00:00	9.42	6-9	0	90	

2020/2/15	17:00:00	9.41	6-9	0	90	正常
2020/2/15	21:00:00	9.4	6-9	0	90	
2020/2/16	1:00:00	9.39	6-9	0	90	
2020/2/16	5:00:00	9.38	6-9	0	90	
2020/2/16	9:00:00	9.36	6-9	0	90	
2020/2/16	13:00:00	9.35	6-9	0	90	
2020/2/16	17:00:00	9.33	6-9	0	90	
2020/2/16	21:00:00	9.32	6-9	0	90	
2020/2/17	1:00:00	9.3	6-9	0	90	
2020/2/17	5:00:00	9.29	6-9	0	90	
2020/2/17	9:00:00	7.45	6-9	0	90	达标
2020/2/17	13:00:00	6.79	6-9	0	90	达标
2020/2/17	17:00:00	6.78	6-9	0	90	达标
2020/2/17	21:00:00	6.78	6-9	0	90	达标
2020/2/18	1:00:00	6.78	6-9	0	90	达标
2020/2/18	5:00:00	6.79	6-9	0	90	达标
2020/2/18	9:00:00	6.79	6-9	0	90	达标
2020/2/18	13:00:00	6.79	6-9	0	90	达标
2020/2/18	17:00:00	6.79	6-9	0	90	达标
2020/2/18	21:00:00	6.79	6-9	0	90	达标
2020/2/19	1:00:00	6.79	6-9	0	90	达标
2020/2/19	5:00:00	6.79	6-9	0	90	达标
2020/2/19	9:00:00	6.79	6-9	0	90	达标
2020/2/19	13:00:00	6.79	6-9	0	90	达标
2020/2/19	17:00:00	6.79	6-9	0	90	达标
2020/2/19	21:00:00	6.79	6-9	0	90	达标
2020/2/20	1:00:00	6.79	6-9	0	90	达标
2020/2/20	5:00:00	6.79	6-9	0	90	达标
2020/2/20	9:00:00	6.79	6-9	0	90	达标
2020/2/20	13:00:00	6.79	6-9	0	90	达标
2020/2/20	17:00:00	6.8	6-9	0	90	达标
2020/2/20	21:00:00	6.8	6-9	0	90	达标
2020/2/21	1:00:00	6.8	6-9	0	90	达标
2020/2/21	5:00:00	6.8	6-9	0	90	达标
2020/2/21	9:00:00	6.8	6-9	0	90	达标
2020/2/21	13:00:00	6.8	6-9	0	90	达标
2020/2/21	17:00:00	6.8	6-9	0	90	达标
2020/2/21	21:00:00	6.8	6-9	0	90	达标
2020/2/22	1:00:00	6.8	6-9	0	90	达标
2020/2/22	5:00:00	6.8	6-9	0	90	达标
2020/2/22	9:00:00	6.8	6-9	0	90	达标
2020/2/22	13:00:00	6.8	6-9	0	90	达标
2020/2/22	17:00:00	6.81	6-9	0	90	达标
2020/2/22	21:00:00	6.81	6-9	0	90	达标
2020/2/23	1:00:00	6.81	6-9	0	90	达标
2020/2/23	5:00:00	6.81	6-9	0	90	达标

2020/2/23	9:00:00	6.81	6-9	0	90	达标
2020/2/23	13:00:00	6.81	6-9	0	90	达标
2020/2/23	17:00:00	6.81	6-9	0	90	达标
2020/2/23	21:00:00	6.81	6-9	0	90	达标
2020/2/24	1:00:00	6.82	6-9	0	90	达标
2020/2/24	5:00:00	6.82	6-9	0	90	达标
2020/2/24	9:00:00	6.81	6-9	0	90	达标
2020/2/24	13:00:00	6.81	6-9	0	90	达标
2020/2/24	17:00:00	6.82	6-9	0	90	达标
2020/2/24	21:00:00	6.82	6-9	0	90	达标
2020/2/25	1:00:00	6.82	6-9	0	90	达标
2020/2/25	5:00:00	6.82	6-9	0	90	达标
2020/2/25	9:00:00	6.82	6-9	0	90	达标
2020/2/25	13:00:00	6.82	6-9	0	90	达标
2020/2/25	17:00:00	6.82	6-9	0	90	达标
2020/2/25	21:00:00	6.82	6-9	0	90	达标
2020/2/26	1:00:00	6.82	6-9	0	90	达标
2020/2/26	5:00:00	6.82	6-9	0	90	达标
2020/2/26	9:00:00	6.83	6-9	0	90	达标
2020/2/26	13:00:00	6.82	6-9	0	90	达标
2020/2/26	17:00:00	6.82	6-9	0	90	达标
2020/2/26	21:00:00	6.83	6-9	0	90	达标
2020/2/27	1:00:00	6.83	6-9	0	90	达标
2020/2/27	5:00:00	6.83	6-9	0	90	达标
2020/2/27	9:00:00	6.83	6-9	0	90	达标
2020/2/27	13:00:00	6.83	6-9	0	90	达标
2020/2/27	17:00:00	6.83	6-9	0	90	达标
2020/2/27	21:00:00	6.83	6-9	0	90	达标
2020/2/28	1:00:00	6.83	6-9	0	90	达标
2020/2/28	5:00:00	6.83	6-9	0	90	达标
2020/2/28	9:00:00	6.83	6-9	0	90	达标
2020/2/28	13:00:00	6.83	6-9	0	90	达标
2020/2/28	17:00:00	6.83	6-9	0	90	达标
2020/2/28	21:00:00	6.83	6-9	0	90	达标
2020/2/29	1:00:00	6.83	6-9	0	90	达标
2020/2/29	5:00:00	6.84	6-9	0	90	达标
2020/2/29	9:00:00	6.84	6-9	0	90	达标
2020/2/29	13:00:00	8.18	6-9	36.1	90	达标
2020/2/29	17:00:00	7.8	6-9	73.5	90	达标
2020/2/29	21:00:00	8.05	6-9	46.5	90	达标

广州科城环保科技有限公司污染源监测数据公开（手动监测）

监测日期：2020-2-24

监测项目	检测位点	单位	监测值	标准值	监测结果说明
总锌	生产废水总排口	mg/l	<0.5	2	达标
石油类	生产废水总排口	mg/l	0.58	5	达标
氰化物	生产废水总排口	mg/l	<0.3	0.3	达标
总铜	生产废水总排口	mg/l	<0.5	0.5	达标
总锰	生产废水总排口	mg/l	<0.5	2	达标
悬浮物	生产废水总排口	mg/l	<60	60	达标
pH值	生产废水总排口	-	6.55	6-9	达标
氨氮（NH ₃ -N）	生产废水总排口	mg/l	<10	10	达标
五日生化需氧量	生产废水总排口	mg/l	6.93	20	达标
总铁	生产废水总排口	mg/l	<0.5	-	达标
化学需氧量	生产废水总排口	mg/l	59.4	90	达标
氟化物（以F ⁻ 计）	生产废水总排口	mg/l	0.71	10	达标
阴离子表面活性剂	生产废水总排口	mg/l	0.24	5	达标
硫化物	生产废水总排口	mg/l	ND	0.58	达标
动植物油	生产废水总排口	mg/l	0.15	10	达标
挥发酚	生产废水总排口	mg/l	0.04	0.3	达标
总汞	车间排放口-01	mg/l	<0.5	0.05	达标
	车间排放口-02	mg/l	<0.5	0.05	达标
总镉	车间排放口-01	mg/l	<0.1	0.1	达标
	车间排放口-02	mg/l	<0.1	0.1	达标
总铬	车间排放口-01	mg/l	<0.5	1.5	达标
	车间排放口-02	mg/l	<0.5	1.5	达标
六价铬	车间排放口-01	mg/l	0.007	0.5	达标
	车间排放口-02	mg/l	0.432	0.5	达标
总砷	车间排放口-01	mg/l	<0.5	0.5	达标
	车间排放口-02	mg/l	<0.5	0.5	达标
总铅	车间排放口-01	mg/l	<0.5	1	达标
	车间排放口-02	mg/l	<0.5	1	达标
总镍	车间排放口-01	mg/l	<0.5	1	达标
	车间排放口-02	mg/l	<0.5	1	达标